

Certificat UE de Conformité

EU Declaration of Conformity

CE

Société/Company : CITEL

Adresse/Address : 2, rue Troyon 92310, Sèvres, France

Marque/Trade Mark : CITEL

Gamme de produits : **Parafoudre Type 2 pour réseau BT**
 Product Range : **Type 2 SPD for AC Network**

| Références/Models | Utilisation / Application |
|-------------------|--|
| DAC50-10-150 | 1-pole Type 2 SPD for 120 Vac network |
| DAC50S-10-150 | 1-pole Type 2 SPD for 120 Vac network (with remote signal) |
| DAC50-10-275 | 1-pole Type 2 SPD for 230 Vac network |
| DAC50S-10-275 | 1-pole Type 2 SPD for 230 Vac network (with remote signal) |
| DAC50-10-320 | 1-pole Type 2 SPD for 230 Vac network |
| DAC50S-10-320 | 1-pole Type 2 SPD for 230 Vac network (with remote signal) |
| DAC50-10-440 | 1-pole Type 2 SPD for 400 Vac network |
| DAC50S-10-440 | 1-pole Type 2 SPD for 400 Vac network (with remote signal) |
| DAC50-10-530 | 1-pole Type 2 SPD for 480 Vac network |
| DAC50S-10-530 | 1-pole Type 2 SPD for 480 Vac network (with remote signal) |
| DAC50-10-660 | 1-pole Type 2 SPD for 600 Vac network |
| DAC50S-10-660 | 1-pole Type 2 SPD for 600 Vac network (with remote signal) |
| DAC50-10-760 | 1-pole Type 2 SPD for 690 Vac network |
| DAC50S-10-760 | 1-pole Type 2 SPD for 690 Vac network (with remote signal) |

| | |
|---------------|--|
| DAC50-20-150 | Single phase Type 2 SPD for 120 Vac network |
| DAC50S-20-150 | Single phase Type 2 SPD for 120 Vac network (with remote signal) |
| DAC50-20-275 | Single phase Type 2 SPD for 230 Vac network |
| DAC50S-20-275 | Single phase Type 2 SPD for 230 Vac network (with remote signal) |
| DAC50-20-320 | Single phase Type 2 SPD for 230 Vac network |
| DAC50S-20-320 | Single phase Type 2 SPD for 230 Vac network (with remote signal) |
| DAC50-20-440 | Single phase Type 2 SPD for 230 Vac network |
| DAC50S-20-440 | Single phase Type 2 SPD for 230 Vac network (with remote signal) |
| DAC50-20-530 | Single phase Type 2 SPD for 480/830 Vac network |
| DAC50S-20-530 | Single phase Type 2 SPD for 480/830 Vac network (with remote signal) |
| | |
| DAC50-11-150 | Single phase Type 2 SPD for 120 Vac network |
| DAC50S-11-150 | Single phase Type 2 SPD for 120 Vac network (with remote signal) |
| DAC50-11-275 | Single phase Type 2 SPD for 230 Vac network |
| DAC50S-11-275 | Single phase Type 2 SPD for 230 Vac network (with remote signal) |
| DAC50-11-320 | Single phase Type 2 SPD for 230 Vac network |
| DAC50S-11-320 | Single phase Type 2 SPD for 230 Vac network (with remote signal) |
| | |
| DAC50-30-150 | 3-phase Type 2 SPD for 120/208 Vac network |
| DAC50S-30-150 | 3-phase Type 2 SPD for 120/208 Vac network (with remote signal) |
| DAC50-30-275 | 3-phase Type 2 SPD for 230/400 Vac network |
| DAC50S-30-275 | 3-phase Type 2 SPD for 230/400 Vac network (with remote signal) |
| DAC50-30-320 | 3-phase Type 2 SPD for 230/400 Vac network |
| DAC50S-30-320 | 3-phase Type 2 SPD for 230/400 Vac network (with remote signal) |
| DAC50-30-440 | 3-phase Type 2 SPD for 230/400 Vac network |
| DAC50S-30-440 | 3-phase Type 2 SPD for 230/400 Vac network (with remote signal) |
| DAC50-30-530 | 3-phase Type 2 SPD for 480 Vac network |
| DAC50S-30-530 | 3-phase Type 2 SPD for 480 Vac network (with remote signal) |
| DAC50-30-660 | 3-phase Type 2 SPD for 600 Vac network |
| DAC50S-30-660 | 3-phase Type 2 SPD for 600 Vac network (with remote signal) |
| DAC50-30-760 | 3-phase Type 2 SPD for 690 Vac network |
| DAC50S-30-760 | 3-phase Type 2 SPD for 690 Vac network (with remote signal) |

| | |
|---------------|---|
| DAC50-31-150 | 3-phase + N Type 2 SPD for 230/400 Vac network |
| DAC50S-31-150 | 3-phase + N Type 2 SPD for 230/400 Vac network (with remote signal) |
| DAC50-31-275 | 3-phase + N Type 2 SPD for 230/400 Vac network |
| DAC50S-31-275 | 3-phase + N Type 2 SPD for 230/400 Vac network (with remote signal) |
| DAC50-31-320 | 3-phase + N Type 2 SPD for 230/400 Vac network |
| DAC50S-31-320 | 3-phase + N Type 2 SPD for 230/400 Vac network (with remote signal) |
| | |
| DAC50-40-150 | 3-phase + N Type 2 SPD for 120/208 Vac network |
| DAC50S-40-150 | 3-phase + N Type 2 SPD for 120/208 Vac network (with remote signal) |
| DAC50-40-275 | 3-phase + N Type 2 SPD for 230/400 Vac network |
| DAC50S-40-275 | 3-phase + N Type 2 SPD for 230/400 Vac network (with remote signal) |
| DAC50-40-320 | 3-phase + N Type 2 SPD for 230/400 Vac network |
| DAC50S-40-320 | 3-phase + N Type 2 SPD for 230/400 Vac network (with remote signal) |
| DAC50-40-440 | 3-phase + N Type 2 SPD for 230/400 Vac network |
| DAC50S-40-440 | 3-phase + N Type 2 SPD for 480/830 Vac network (with remote signal) |
| DAC50-40-530 | 3-phase + N Type 2 SPD for 480/830 Vac network |
| DAC50S-40-530 | 3-phase + N Type 2 SPD for 480/830 Vac network (with remote signal) |

Cette déclaration de conformité est établie sous la seule responsabilité du fabricant. Basé sur l'évaluation volontaire d'échantillons de produits et sur les dossiers techniques correspondants, nous certifions que les produits listés ci-dessus satisfont aux dispositions de la **Directive Basse Tension 2014/35/EU** du Conseil de l'Union Européenne et sont conformes aux normes suivantes :

This declaration of conformity is issued under the sole responsibility of the manufacturer. Based on voluntary assessment of the product samples and technical file, We certify that the listed products, as mentioned above, comply with the provisions of the **Low Voltage Directive 2014/35/EU** of the Council of the European Union and are conformed by compliance with following European standards:

| <i>European standard</i> | <i>Description</i> |
|---|---|
| EN 61643-11:2012 + EN 61643-11:2012/A11 : 2018 | Low-voltage surge protective devices – Part 11: Surge protective devices connected to low-voltage power systems - Requirement and test methods. |

Sèvres,
12/11/2019



Christian Macanda
Product Manager

CITEL 2 CP S.A.S.
Capital 5 013 500 €
2 rue Troyon
92316 SEVRES CEDEX
Tél. : 01 41 23 50 23
Fax : 01 41 23 50 09
Siren 387 740 095 - APE 2712Z